



Yes, you can.®

Order Form
October 2018

INVACARE EU Export
Customer Service: +49(0) 57 31/7 54-5 40; Fax: +49(0) 57 31/7 54-5 41
www.invacare-eu-export.com

Invacare® Bora CE

Maximum User Weight: 130 kg

Standard Base Price: **6.613,00 €**

Company Name

Dealer

Order No:

Order Date:

Please make your selection with a cross in the box Standard feature Free of Charge (NC 9999) = not compatible with ref 9999

Code	Description	Nc	€
ASA0064	Bora® Basic Model (New version)		6.613,00
ASZ0064	Bora® Special Basic Model (New version)		on request
User weight			
	User weight 0-60kg		<input type="radio"/>
	User weight 61-65kg		<input type="radio"/>
	User weight 66-70kg		<input type="radio"/>
	User weight 71-75kg		<input type="radio"/>
	User weight 76-125kg		<input type="radio"/>
	User weight 126-130kg		<input type="radio"/>
Seating type			
ASA2100	Invacare® Modulite Seat Unit	NC 1291, 1292	<input checked="" type="checkbox"/>
Seat frame and seat plate / sling seat			
ASA2110	One Piece Seat Plate, width 430 mm (adjustable by arms 440 - 480 mm)	NC 1093, 1094, 2113, 2121, 2123, 2124, 2162, 2163, 2173, 2179, 2192, 2193, 2194; 2184, 2185, 2186, 2187, 2188, 2189, 1719, 2229, 2701, 2702, 2703, 2704, 2705, 2706	<input checked="" type="checkbox"/>
ASA2111	Telescopic Seat Frame and Plate with Side Rails width 380 to 530 mm (additional 50 mm by arms)	NC 2141, 2161, (2124+ 2192/ 2194+/ 2173)	575,00
ASA2112	Telescopic Seat Frame + Sling Seat with Side Rails width 380 to 530 mm (additional 50 mm by arms); + 30 mm seat height	NC 2141, 2161, (2124 + 2192/ 2194+/ 2173)	580,00
Seat width setting for adjustable seat frame			
ASA2121	380 mm Seat Plate (additional 50 mm by arms) (can be reduced to 330 mm in combination with inrigged armrests)	NC 2110, 2143, (2136+1092+1367) , (0977+2229+1289)	<input type="radio"/>
ASA2122	430 mm Seat Plate (additional 50 mm by arms)	NC (2136+1092+1367), 2701, 2703, 2705	<input checked="" type="checkbox"/>
ASA2123	480 mm Seat Plate (additional 50 mm by arms)	NC 2110, (2136+1092+1367), 2702, 2704, 2706	<input type="radio"/>
ASA2124	530 mm Seat Plate (additional 50 mm by arms)	NC 2110, 2174, 2175, 2176, 2177, 2178, 2143,(2111//+2192/2194+/2173), (2132+2147); (2134/2136+1092+1367), 2702, 2704, 2706	<input type="radio"/>
Seat depth setting			
ASA2132	410 mm	NC 2196, 2197, 2198,2181/2191/2183+2113), (2124+2147/2144), (2195+1607/1404/1405); (2191/2181/2192/2194+2184/2185/ 2186/2187 /2188/2189+2253) , 2701, 2702, 2703, 2704, 2705, 2706	<input type="radio"/>
ASA2134	460 mm	(2124+1092+1367); (2191/2181/2192/ 2194+2184/2185/ 2186/2187/2188/2189+2253)	<input type="radio"/>

ASA2136		510 mm	NC 2143; (2121/ 2122/ 2123/ 2124+ 1092+ 1367)	◆
Seat cushion (sizes according to seat frame settings)				
ASA2141		Standard Foam Cushion 50 mm thick	NC 2111, 2152, 2153, 2155	◆
ASA2142		Matrx Flo-tech Cushion: Lite (75mm up to 127 kg); Contour (100mm up to 191 kg)		165,00
ASA2143		Matrx Flo-tech Contour Visco 430 x430 mm [max. user weight 125 kg]; Cover: 2-way stretch material only!	NC 2136, 2121, 2124	195,00
ASA2147		Matrx Libra Cushion, 90 mm thick Standard (up to 136 kg); HD (up to 227 kg)	NC (2124+ 2132)	491,00
Backrest support (for tension adjustable upholstery / matrx cushions)				
ASA2161		Backrest frame, detachable, height 480 mm (always with one-piece seat plate, manual settings only)	NC 2107, 2108, 2111, 2173, 0977	◆
ASA2163		Backposts short (480 mm) with width adjustable cast bracket	NC 2110, 2173	○
Backrest support (for flex3 backrests / tension adjustable upholstery / matrx cushions)				
ASA2162		Backposts long (540 mm) with width adjustable cast bracket	NC 2110	○
Push handles for backposts				
ASA2107		Backposts with push handles	NC 2161	○
ASA2108		Backposts without push handles	NC 2161, 1307, 1378, 1495, 2220, 2227, 2228, 1720, 1602, 1616, 1643, 1644, 1618, 1640, 1645, 1802, 1554, 1504, 1891, 1892, 1594, 1595, 1511 (2170,2171/2174/2175/2176/2177/2178+ 1350/1432/1427), 2245	○
Backrest upholstery / cushion				
ASA2171		Tension Adjustable (long = 540 mm /short = 480 mm)	NC 2152, 2153, 2154, 1496, 1445, 1446(2108+1350/1432/1427), 2155, 2322, 2323, 2324, 2325, 2326, 2327	◆
ASA2179		Flex3 Tension Adjustable (long = 540 mm /short = 480 mm)	NC 2110, 2151, 2153, 2154, 2192, 2193, 2194, 2199,1446, 1719, 1511, 2229, 2155 2322, 2323, 2324, 2325, 2326, 2327	225,00
ASA2173		Flex3 adjustable Backrest Plates with Laguna Backrest cushion	NC 2110, 2161, 2163, (2111/+ 2124+ 2192/ 2194)	199,00
MATRX BACKREST WIDTH CORRESPONDS TO SW SETTING CHOSEN (not available for SW setting 530 mm)				
ASA2174		Matrx Posture Back, height 400 mm (Mesh fabric)	NC 1445, 1446, 2124 (2108+ 1350/ 1432/ 1427)	676,00
ASA2175		Matrx Posture Back, height 500 mm (Mesh fabric)	NC 1445, 1446, 2124 (2108+ 1350/ 1432/ 1427)	676,00
ASA2176		Matrx Elite Back , height 500 mm (Mesh fabric)	NC 1445, 1446, 2124 (2108+ 1350/ 1432/ 1427)	676,00
ASA2177		Matrx Elite TR Back, height 500 mm [Mesh fabric]	NC 1445, 1446, 2124 (2108+ 1350/ 1432/ 1427)	676,00
ASA2178		Matrx Elite Deep Back, height 500 mm [Mesh fabric]	NC 1445, 1446, 2124 (2108+ 1350/ 1432/ 1427)	828,00
Upholstery colour				
ASA2151		Black fabric (nylon w 2141; 2-way-stretch material w 2142, 2143)	NC 2179	◆
ASA2152		Black Dartex	NC 2141, 2171	○
ASA2153		LK Version (black with orange seam)	NC 2141, 2171, 2179	270,00
ASA2155		Black Spacer fabric	NC 2141, 2171, 2179	○
Armrests				
ASA2191		T-Arm detachable	NC (2132+2113); (2132/2134+2184/ 2185/2186/2187/2188/2189+2253)	◆
ASA2181		T-Arm detachable (50 mm higher)	NC (2132+2113); (2132/2134+2184/ 2185/2186/2187/2188/2189+2253)	○
ASA2198		Padded Armrest with integrated cloth guard	NC 2132, 2195, 2196, 2197, 2184, 2185, 2186, 2187, 2188, 2189, 2199	229,00
ASA2183		Inrigged Armrests (25 mm each side)	NC 2184, 2185, 2186, 2187, 2188, 2189, (2132+2113)	99,00
ASA2193		Flip-up Armrest	NC 2110, 1445, 1446, 2179	219,00
ASA2192		Following Armrest (height adjustable from 230 - 300 mm)	NC 2110, 1445, 1446, (2109/2111/2112+2124+2172/2173), 2179; (2132/2134+2184/2185/2186/2187/2188/2189+2253)	296,00

ASA2194		Following Armrest (height adjustable from 300 - 360 mm)	NC 2110, 1445, 1446, (2109/2111/2112+2124+2172/2173), 2179; (2132/2134+2184/2185/2186/2187/2188/2189+2253)	296,00
Armpad				
ASA2195		Short Armpad (325 mm)	NC 2198, (2132+1607/1404/1405)	◆
ASA2196		Long Armpad (375 mm)	NC 2132, 2198	○
ASA2197		Long Ergonomic Armpad (397 mm)	NC 2132, 2198	55,00
ASA2199		Soft Armpad	NC 2198, 2179, 1611,	198,00
Hip supports lh (for t-arm, following and flip-up armrests)				
ASA2184		Hip Support LH, pad size 140 x 100 mm	NC 2110, 2198, 2183; 2701, 2702, 2703, 2704, 2705, 2706, (2132/2134+2191/2181/2192/2194+2253)	321,00
ASA2186		Hip Support LH, pad size 230 x 100 mm	NC 2110, 2198, 2183; 2701, 2702, 2703, 2704, 2705, 2706, (2132/2134+2191/2181/2192/2194+2253)	341,00
ASA2188		Hip Support LH, pad size 330 x 100 mm	NC 2110, 2198, 2183; 2701, 2702, 2703, 2704, 2705, 2706, (2132/2134+2191/2181/2192/2194+2253)	341,00
Hip supports rh (for t-arm, following and flip-up armrests)				
ASA2185		Hip Support RH, pad size 140 x 100 mm	NC 2110, 2198, 2183; 2701, 2702, 2703, 2704, 2705, 2706, (2132/2134+2191/2181/2192/2194+2253)	321,00
ASA2187		Hip Support RH, pad size 230 x 100 mm	NC 2110, 2198, 2183; 2701, 2702, 2703, 2704, 2705, 2706, (2132/2134+2191/2181/2192/2194+2253)	341,00
ASA2189		Hip Support RH, pad size 330 x 100 mm	NC 2110, 2198, 2183; 2701, 2702, 2703, 2704, 2705, 2706, (2132/2134+2191/2181/2192/2194+2253)	341,00
Headrest/neckrest (dartex)				
ASA1350		Neckrest depth adjustable	NC (2108+2171/2174/2175/2176/2177/2178), (2229+1288/1289)	195,00
ASA1432		Headrest sideways adjustable	NC (2108+2171/2174/2175/2176/2177/2178), (2229+1288/1289)	249,00
ASA1427		Headrest with cheek support	NC (2108+2171/2174/2175/2176/2177/2178), (2229+1288/1289)	259,00
ASA2323		Elan Standard Pad 150 mm / 6" wide w/standard cover (ESP26) complete with Elan Headrest Hardware (MEHW)	NC 2171, 2179, 2170	512,00
ASA2324		Elan Standard Pad 255 mm / 10" wide w/standard cover (ESP26) complete with Elan Headrest Hardware (MEHW)	NC 2171, 2179, 2170	512,00
ASA2322		Elan Standard Pad 355 mm / 14" wide w/standard cover (ESP26) complete with Elan Headrest Hardware (MEHW)	NC 2171, 2179, (2229+1288/1289), 2170	512,00
ASA2325		Elan Occipital Pad 230x180 mm / 9"x7" w/standard cover (EOP23) complete with Elan Headrest Hardware (MEHW)	NC 2171, 2179, 2170	512,00
ASA2326		Elan Occipital Pad 305x200 mm / 12"x8" w/standard cover complete with Elan Headrest Hardware (MEHW)	NC 2171, 2179, 2170	512,00
ASA2327		Elan 4 Point Headrest Pad 280x255 mm / 11"x10" w/standard cover complete with Elan Headrest Hardware (MEHW)	NC 2171, 2179, 2170	676,00
Lateral support (in pairs; dartex)				
ASA1446		Lateral Support with extended arm, rigid pad	NC 2171, 2174, 2175, 2176, 2192, 2193, 2194, 2179	292,00
ASA1445		Lateral Support with extended arm, multi-adjustable pad	NC 2171, 2174, 2175, 2176, 2192, 2193, 2194	445,00
Seat tilt / seat lifter				
ASA1091		Manually settable Seat Tilt (0°-20°)		◆
ASA1092		Powered Tilt (0°- 20°)	NC 1438, (2121/2122/2123+2136+1367), (2124+2134/2136+1367), 2201,	890,00
ASA1093		Powered Tilt (0°- 30°) with CoG shift	NC 1264, 2110, 1438, 2201	1.229,00
ASA1094		Seat lifter with powered tilt (300 mm, 30°) with CoG shift	NC 2110, 1264, 1438, 2201,	2.375,00
Seat height adapter (only if option 1091 or 1092 have been chosen before)				
ASA2139		Seat height adapter (+ 15 mm) Extended height to allow to move CoG of Modulite further to the back	NC 1093, 1094	○
Backrest recliner				
ASA0975		Manual Settable Recliner (in 3.75° steps)		◆

ASA0977		Powered Recliner	NC 2161, 2201, 2202 (2121+2229+1289)	990,00
Legrest / footrests				
Individual footrest hanger type; lh				
ASA0565		Standard hanger 80° LH	NC 0546, 0547, 0549, 0509	◆
ASA0575		Hanger, manually height adjustable LH	NC 0546, 0547, 0549, 0509	110,00
ASA0536		Hanger Vari F LH	NC 0566, 0576,	128,00
ASA0537		Hanger Vari A LH	NC 0566, 0576, 0505, 0371, 0373	166,00
ASA0539		Hanger ADE 0° - 80° LH	NC 0566, 0576, 0505, 0371, 0373, 2201	792,00
Individual footrest hanger type; rh				
ASA0566		Standard hanger 80° RH	NC 0536, 0537, 0539, 0506	◆
ASA0576		Hanger, manually height adjustable RH	NC 0536, 0537, 0539, 0506	110,00
ASA0546		Hanger Vari F RH	NC 0565, 0575	128,00
ASA0547		Hanger Vari A RH	NC 0565, 0575, 0502, 0371, 0373	166,00
ASA0549		Hanger ADE 0° - 80° RH	NC 0565, 0575, 0502, 0371, 0373, 2201	792,00
Individual footplate type; lh				
ASA0505		Fixed Footplate LH	NC 0539, 0537	◆
ASA0509		Angle Adjustable Footplate LH	NC 0565, 0575	75,00
ASA0511		Angle and depth adjustable Footplate LH		107,00
Individual footplate type; rh				
ASA0502		Fixed Footplate RH	NC 0549, 0547	◆
ASA0506		Angle Adjustable Footplate RH	NC 0566, 0576	75,00
ASA0508		Angle and depth adjustable Footplate RH		107,00
Remotes				
LiNX PRIMARY REMOTES with proportional Joystick + BRACKETS				
ASA2201		Remote LiNX One drive function with Drive only power module: DLX-REM110 = Drive only	NC 1367, 1437, 1092, 1093, 1094, 0977, 0539, 0549, 0531; (2220+1283) 2231, 2232, 2229, 2125	◆
ASA2203		Remote LiNX with 3 drive functions and power module incl. 2 Actuators: DLX-REM211 = Drive & Actuators	NC 1367, 1437, 2231, 2232, 2229, 2125	235,00
ASA2204		Remote LiNX with 3 drive functions and power module incl. 2 Actuators & Lights: DLX-REM216 = Drive, Actuators & Lights		390,00
ASA2205		Rehab Remote LiNX, touch-screen user interface DLX-REM400 configurable jack sockets	NC 2220	416,00
ASA2206		Rehab Remote LiNX without joystick for alternative access users DLX-REM500 REQUIRES A USER INPUT: COMPACT REMOTE (2231/2232) OR CHIN CONTROL (2229)	NC 2220	653,00
REMOTE MOUNTING POSITION				
ASA1207		Standard Bracket RH	NC 1404, (2231/2232+2207/2213),	○
ASA1208		Standard Bracket LH	NC 1405, (2231/2232+2208/2214),	○
ASA1707		Swing Away RH	NC 1404, (2231/2232+2207/2213),	249,00
ASA1708		Swing Away LH	NC 1405, (2231/2232+2208/2214)	249,00
ASA2227		Bracket RH, mounted for Attendant	NC 2219, 2245, 2108, 1287	○
ASA2228		Bracket LH, mounted for Attendant	NC 2219, 2245, 2108, 1286	○
ASZ2239		Individual mounting option per request (Special) - REQUIRES ADDITIONAL INFORMATION / SPECIFICATION		On Request
LiNX REM500 (DISPLAY ONLY) BRACKETS				
ASA2209		Swing away RH, multi-adjustable	NC (2251+2217), 1404, (2231/2232+2207/2213),	◆
ASA2210		Swing away LH, multi-adjustable	NC (2251+2218), 1405, (2231/2232+2208/2214),	○
ASA2213		Centre Mount, swing-away to RH, Nucleus	NC (2251+2217), 1404, 1405, 1415, (2231/2232+2207/2213),	1.415,00
ASA2214		Centre Mount, swing-away to LH, Nucleus	NC (2251+2218), 1404, 1405, 1339, (2231/2232+2208/2214),	1.415,00

ASZ2239		Individual mounting option per request (Special) - REQUIRES ADDITIONAL INFORMATION / SPECIFICATION		on request
Dual control linx + brackets				
ASA2220		Dual Control LiNX (DLX-REM050 as secondary remote)	NC 2108, 2202, 2221, 2222, 2223, (2201+1283)	449,00
ASA2219		Compact Dual Control LiNX (DLX-ACU200)	NC 1221, 1222, 2108, 2227, 2228 (2227/ 2228+2201/ 2203/ 2204/ 2205)	931,00
ASA2245		Invacare LiNX IDC Dual control	NC 1207, 1208, 2108, (2227/2228+ 2201/2203/2204/2205),	1.098,00
ASA1207		Standard Bracket RH		○
ASA1208		Standard Bracket LH		○
ASA1221		Bracket RH, detachable	NC 2219, 2220, (2229+1287)	○
ASA1222		Bracket LH, detachable	NC 2219, 2220, (2229+1286)	○
IF SEVERAL JOYSTICKS (OR JOYSTICK + REM500) SHOULD BE MOUNTED ON ONE NUCLEUS, PLEASE SELECT SPECIAL MOUNTING OPTION 2215!				
LiNX - COMPACT REMOTES & BRACKETS				
REQUIRES PRIMARY REMOTE (min. REM400 or REM500)				
ASA2231		Proportional Compact Remote DLX-CR400	NC 2201, 2203, 2204	1.409,00
ASA2232		Proportional Compact Remote Low Force DLX-CR-400LF	NC 2201, 2203, 2204	1.596,00
ASA2207		RH Mount	NC 1404, (1207/1707+2205); (2209/2213+2206), (2251+2217)	◆
ASA2208		LH Mount	NC 1405, (1208/1708+2205) (2210/2214+2206), (2251+2218)	○
ASA2213		Centre Mount, swing-away to RH (Nucleus)	NC (2251+2217), 1404, 1405, 1415; (1207/1707+2205); (2209/2213+2206),	1.415,00
ASA2214		Centre Mount, swing-away to LH (Nucleus)	NC (2251+2218), 1404, 1405, 1339 (1208/1708+2205); (2210/2214+2206),	1.415,00
ASZ2215		Individual mounting option per request (Special) - REQUIRES ADDITIONAL INFORMATION / SPECIFICATION		On Request
ALTERNATIVE JOYSTICKS & INPUTS & BRACKETS				
REQUIRES REHAB REMOTE AS A PRIMARY REMOTE (DLX-REM400 or DLX-REM500)				
CHIN CONTROL & BRACKETS				
ASA2229		Proportional Chin Joystick (ASL138)	NC 2201, 2203, 2204, 2110, 2179	3.728,00
ASA1289		Swing Away Bracket RH, side manual (ASL628) (Requires ELAN Headrest)	NC 1350, 1432, 1427, 1496, 1495, 2171, 2322	○
ASA1288		Swing Away Bracket LH, side manual (ASL628) (Requires ELAN Headrest)	NC 1350, 1432, 1427, 1496, 1495, 2171, 2322	○
ASA1287		Proportional Chin Joystick (ASL138) + Swing Away Bracket RH, powered	NC 2227, (2219+1207), (2245+1221), 1404, 1415, 1312, (2121+0977)	8.171,00
ASA1286		Proportional Chin Joystick (ASL138) Swing Away Bracket LH, powered	NC 2228, (2219+1208), 2245+1222), 1405, 1339, 1363	8.171,00
ALTERNATIVE SEATING CONTROL				
Linx 10-way switch				
ASA2251		10-Way Switch DLX-SW10-A for direct Powered Seating Access (includes loom to connect + additional jack for mode switch)		538,00
ASA2217		Bracket RH, mounted for user	NC 2209, 2213; (2231/2232+2207)	○
ASA2218		Bracket LH, mounted for user	NC 2210, 2214, (2231/2232+2208)	○
ASA2227		Bracket RH, mounted for attendant	NC 1287	○
ASA2228		Bracket LH, mounted for attendant	NC 1286	○
ASA2252		Loom providing jack sockets for "Drive" and "Mode" (includes connection for 10-Way Switch)		99,00
Linx accessories (not mounted)				
Usb charger port				
ASA2253		USB Charger Port DLX-USB02-A	NC 2110, (2132/2134+2191/2181/2192/ 2194 +2184/2185/2186/2187/2188/2189), 2701, 2702, 2703, 2704, 2705, 2706	216,00
ASA2207		RH Mount		○
ASA2208		LH Mount		○

Further components / accessories				
ASA2300		To be enclosed only		◆
ARW2301		To be connected and programmed (Special)		On Request
EGG SWITCH (Accessory loom 2252 required, if no REM400 or REM500 is selected)				
ASA2254		Egg Switch, black		152,00
Buddy buttons				
ASA1685		Red Buddy Button		152,00
ASA1686		Yellow Buddy Button		152,00
ASA1687		Green Buddy Button		152,00
ASA1690		Blue Buddy Button		152,00
Piko buttons				
ASA1711		Red Piko Button		184,00
ASA1712		Yellow Piko Button		184,00
ASA1713		Green Piko Button		184,00
ASA1714		Orange Piko Button		184,00
ASA1715		Blue Piko Button		184,00
ASA1716		Black Piko Button		184,00
Drive unit details				
Frame colour				
ASA0228		Frame colour Black		○
ASA0252		Frame colour Arctic White		○
Body shroud colours				
ASA0242		Body Body shroud colour Pearl Night Blue		○
ASA0243		Body shroud colour Metallic Silver		○
ASA0224		Body shroud colour Black		○
ASA0204		Body shroud colour Transparent Cherry Red		○
ASA0222		Body shroud colour Arctic White		○
ASA0248		Body shroud colour Grasshopper Green		○
ASA0279		Body shroud colour Sunshine Yellow		○
Rim colour				
ASA0290		Rim colour White	NC 0828, 0714	49,00
ASA0292		Rim colour Silver		◆
ASA0291		Rim colour Black	NC 0828, 0714	49,00
Castors				
ASA0835		9" Castor, pneumatic, black (non-marking)		◆
ASA0836		9" Castor, puncture proof solid inlay, black (non-marking)		○
ASA0828		8" Castor, puncture proof, solid PU-foam, black (non-marking)	NC 1283, 0290, 0291	○
Drive wheels				
ASA0714		12.5 x 2.25 pneumatic, black (non-marking)		◆
ASA0715		12.5 x 2.25 puncture proof solid inlay, black (non-marking)		○
Suspension				
ASA1264		Rear suspension, standard	NC 1093, 1094, 1021, 1043	○
ASA1265		Rear suspension, strong		○
Motortype				
ASA1282		6 km/h		○
ASA1283		10 km/h	NC 0828, (2201+2220)	○
Battery				
ASA1257		ca 50 Ah (Gel)		◆
ASA1392		Without batteries	(use only IVC approved batteries)	on request
G-trac				
ASA1215		G-Trac		612,00
Charger				
ASA1313		Battery Charger 10A		◆
Anti-tippers				

ASA1205		Anti-tppers (mounting dependant on lifter/non-lifter version)		◆
Light				
ASA1437		LED light system with Indicators	NC 2201, 2202, 2203, 2221	405,00
ASA1254		Without Light system		◆
Kerb rider				
ASA1244		Kerb Rider (with parking position)		360,00
Transportation kit				
ASA1493		4-Point tie-down (For wheelchair transportation without user)		◆
ASA1494		4-Point tie-down (Tested version for using wheelchair as a vehicle seat according to ISO 7176-19:2001) (Adequate headrest is compulsory)		○
Lap belt				
ASA1329		Lap belt with auto lock (standard mount on backrest)	NC 2701, 2702, 2703, 2704, 2705, 2706	59,00
ASA2113		Lap belt with auto lock (flexible mount in side rails)	NC 2110, (2132+2191), 2701, 2702, 2703, 2704, 2705, 2706	59,00
BODYPOINT PELVIC BELTS (incl mounting kit)				
ASA2701		Evoflex Pelvic Stabilizer, Rehab Latch Size L (padded length 620 mm)	NC 1198, 2110, 2121, 2122, 2132, 2184, 2185, 2186, 2187, 2188, 2189, 2253, 1329, 2113	237,00
ASA2702		Evoflex Pelvic Stabilizer, Rehab Latch Size M (padded length 460 mm)	NC 1198, 2110, 2123, 2124, 2132, 2184, 2185, 2186, 2187, 2188, 2189, 2253, 1329, 2113	237,00
ASA2703		2-Point Hip Belt, Ctr-Pull, Push Butt, Cinch-Mount Size L (padded length 620 mm)	NC 1198, 2110, 2121, 2122, 2132, 2184, 2185, 2186, 2187, 2188, 2189, 2253, 1329, 2113	213,00
ASA2704		2-Point Hip Belt, Ctr-Pull, Push Butt, Cinch-Mount Size M (padded length 460 mm)	NC 1198, 2110, 2123, 2124, 2132, 2184, 2185, 2186, 2187, 2188, 2189, 2253, 1329, 2113	213,00
ASA2705		2-Point Hip Belt, Dual-Pull, Side-Release Butt. Cinch-Mount Size L (padded length 620 mm)	NC 1198, 2110, 2121, 2122, 2132, 2184, 2185, 2186, 2187, 2188, 2189, 2253, 1329, 2113	213,00
ASA2706		2-Point Hip Belt, Dual-Pull, Side-Release Butt. Cinch-Mount Size M (padded length 460 mm)	NC 1198, 2110, 2123, 2124, 2132, 2184, 2185, 2186, 2187, 2188, 2189, 2253, 1329, 2113	213,00
Rearview mirror				
ASA1415		RH	NC 2213, 1287	47,00
ASA1339		LH	NC 2213, 1286	47,00
Accessories				
Luggage rack				
ASA1438		Luggage rack	NC 1367,0039, 1093, 1094, 1021, 0042, 0305, 0318, 0310, 1092	185,00
CANEHOLDER (in combination with attendant or dual control the caneholder has to be mounted on the opposite side of the remote)				
ASA1312		RH	NC 1287	45,00
ASA1363		LH	NC 1286	45,00
Fender				
ASA1417		Fender for rear wheels (mandatory for 1437)		195,00
Tray				
ASA1404		Swing Away RH	NC (1601/1801 + 1207/1707), 2213, 2214, 2207 1287	316,00
ASA1405		Swing Away LH	NC (1601/1801 + 1208/1708), 2213, 2214, 2208 1286	316,00
Toolkit				
ASA1333		Toolkit (incl.bit holder, bits and fork spanners)		29,00