



Yes, you can.®

Order Form

October 2018

INVACARE EU Export
 Customer Service: +49(0) 57 31/7 54-5 40; Fax: +49(0) 57 31/7 54-5 41
 www.invacare-eu-export.com

Invacare® Fox Clinical CE

Maximum User Weight: 127 kg

Standard Base Price: **6474,00 €**

Company Name _____

Dealer _____

Order No: _____

Order Date: _____

Please make your selection with a cross in the box ◆ Standard feature ○ Free of Charge (NC 9999) = not compatible with ref 9999

Code	Description	Nc	€
AXA0000	Fox Basic Model		6474,00
AXZ0000	Fox Special Basic Model		on request
Seating			
AXA1140	Fox Seat Unit		◆
Seat frame/ seat width setting			
AXA0368	350 mm Seat Width by inrigged arms Seat frame 400 mm	NC 0606	○
AXA0361	400 mm Seat Width		○
AXA0345	450 mm Seat Width		○
AXA0350	500 mm Seat Width	NC 1187, 1184, 2174, 2175, 2176	○
Seat depth setting			
AXA0324	400 mm according to ISO 7176-7:1998 370 mm to the front of the back posts		○
AXA0308	430 mm according to ISO 7176-7:1998 400 mm to the front of the back posts		○
AXA0327	460 mm according to ISO 7176-7:1998 430 mm to the front of the back posts		○
AXA0319	490 mm according to ISO 7176-7:1998 460 mm to the front of the back posts		○
Seat type			
AXA1188	Seat Board		◆
Seat cushion			
AXA2147	Matrx Libra Cushion, 90 mm thick Standard (up to 136 kg)	NC 1187	◆
BACKREST UPHOLSTERY / BACKS WIDTH CORRESPONDS TO SW SETTING CHOSEN			
AXA2174	Matrx Posture Back, height 400 mm (Mesh fabric)	NC 0350	○
AXA2175	Matrx Posture Back, height 500 mm (Mesh fabric)	NC 0350	○
AXA2176	Matrx Elite Back , height 500 mm (Mesh fabric)	NC 0350	○
AXA2177	Matrx Elite TR Back, height 500 mm [Mesh fabric]		○
AXA2178	Matrx Elite Deep Back, height 500 mm [Mesh fabric]		○
Backrest support for matrx backs (measured from seat pan to push bar)			
AXA0413	Backrest frame (530 mm high)		◆
AXA0414	Backrest frame (610 mm high)		○
Armrests			
AXA0606	Detachable T-armrest without armpads (with depth and width adjustable receiver) Seat frame width +25 mm each side	NC 0368, 0645	◆
AXA0677	Inrigged Armrests (25 mm each side) Seat frame width -25 mm each side	NC 0650	99,00
Armpads			
AXA0650	Long Ergonomic Armpad (397 mm)	NC 0677	198,00
AXA0647	Standard Armpad (325 mm)		◆

AXA0649		Armpad extended (375 mm)			○
AXA0645		Short Armpad (220 mm)		NC 0606	○
Headrest					
AXA1432		Headrest, sideways adjustable (Dartex black)			◆
Seat height setting					
AXA0312		Low STF height, 480 mm at 4° factory setting (-30 mm / + 30 mm depending on tilt settings)			◆
AXA0344		High STF height, 510 mm at 4° factory setting (- 30 mm / + 30 mm depending on tilt settings)			○
Seat tilt					
AXA1002		Manually settable Seat Tilt (0°/2°/4°/6°/8°) Factory setting: 4°			◆
Backrest recliner					
AXA0961		Recliner, settable in steps (85°/95°/105°/115°)			◆
Individual legrests / amputee supports lh/rh					
Side mounted legrests / amputee support lh					
AXA0575		Manual Elevating Legrest LH			◆
Side mounted legrests / amputee support rh					
AXA0576		Manual Elevating Legrest RH			◆
Individual footplate type lh					
AXA0511		Angle and depth adjustable Footplate LH		NC 0555, 0535	◆
Individual footplate type; rh					
AXA0508		Angle and depth adjustable Footplate RH		NC 0554, 0545	◆
Remotes					
Remote linx + brackets					
AXA2201		Remote LiNX One drive function with Drive only power module: DLX-REM110 = Drive only			◆
AXA1207		Standard Bracket RH		NC 1404	○
AXA1208		Standard Bracket LH		NC 1405	○
AXA1707		Swing Away RH		NC 1404	249,00
AXA1708		Swing Away LH		NC 1405	249,00
Attendant remote linx + brackets					
AXA2202		Remote LiNX (mounted for Attendant only) One drive function with Drive only power module: DLX-REM110 = Drive only		NC 2220, 2108	○
AXA1207		Standard Bracket RH			○
AXA1208		Standard Bracket LH			○
Dual control linx + brackets					
AXA2220		Dual Control LiNX (DLX-REM050 as secondary remote)		NC 2108, 1284, 2202	361,00
AXA1207		Standard Bracket RH			○
AXA1208		Standard Bracket LH			○
Drive unit options					
WHEELBASE SETTINGS					
AXA1226		Recommended Factory Setting, based on SD and STF Height			◆
AXA1263		Short Wheelbase (Axle distance 411 mm) = 747 mm total length without legrests			○
AXA1262		Extended Wheelbase (Axle distance 441 mm) = 773 mm total length without legrests			○
Shroud colour					
AXA0201		Pearl Night Blue			○
AXA0233		Metallic Silver			○
AXA0228		Silky Matt Black			○
AXA0204		Transparent Cherry Red			○
AXA0222		White			○
Castors					
AXA0802		Castor grey (200 x 50 mm) PU Tyre, black rim			◆
AXA0803		Castor grey (200 x 50 mm) Solid Inlay, silver rim			165,00
Drive wheels					

AXA0709		Drive Wheel grey, Puncture Proof Solid Inlay, (12 1/2 * 2 1/4"), black rim (plastic)		◆
AXA0710		Drive Wheel grey, Puncture Proof Solid Inlay, (12 1/2 * 2 1/4"), silver rim (aluminum)		109,00
AXA0711		Drive Wheel grey, Pneumatic, (12 1/2 * 2 1/4"), silver rim (aluminum)		250,00
Speed options				
AXA1284		8 km/h	NC 1486, P&G remotes	◆
Battery				
AXA1255		40 Ah Gel Battery		◆
AXA1248		ca 50 Ah AGM Battery		249,00
AXA1392		Without batteries	(use only IVC approved batteries)	on request
Charger				
AXA1343		Charger		◆
Position lights				
AXA1225		Position Lights		149,00
AXA1254		Without Position Lights		○
Wheel lock / parking brake				
AXA1206		Manual Wheel Locks		◆
Kerb rider				
AXA1244		Kerbrider		360,00
Transportation kit				
AXA1493		4-Point tie-down (For wheelchair transportation without user)		◆
AXA1494		4-Point tie-down (Tested version for using wheelchair as a vehicle seat according to ISO 7176-19:2001) (Adequate headrest is recommended)		○
Lap belt				
AXA1329		Lap Belt with Auto-Lock		59,00
AXA2113		Lap belt with auto lock (flexible mount in side rails)	NC (2191/2181/2183+2132)	59,00
Accessories				
Caneholder				
AXA1312		RH Caneholder		45,00
AXA1363		LH Caneholder		45,00
Tray				
AXA1404		Tray, Swing Away RH	NC (2201/1801 + 1207/1707)	316,00
AXA1405		Tray, Swing Away LH	NC (2201/1801 + 1208/1708)	316,00
Oxygen bottle holder				
AXA1454		Oxygen Bottle Holder		138,00
Castor locks				
AXA1490		Castor Lock Levers		45,00
Toolkit				
AXA1333		Toolkit (incl.bit holder, bits and fork spanners)		29,00